

安徽艾约塔硅油有限公司

IOTA CORPORATION LTD.

Sunmoon industry park, 985 Xingzhong Road, Bengbu, China 233000

Tel: 86-552-3827158

Fax: 86-552-3822922

安徽省蚌埠市高新区兴中路 985 号 日月科技园

电话: 86-552-3827158 传真: 86-552-3822922

TDS of IOTA 1401 Cyclopentasiloxane (and) Cyclotetrasiloxane (and)

FEATURES

High percentage of dimethiconol ensures excellent substantivity of active ingredients by physical interaction.

Dimethiconol

ADVANTAGES

Imparts soft velvety skin feel
Conditions hair, especially split ends
Detackifies greasy formulations

APPLICATIONS

- 1. Substantive character and unique feel make IOTA-1401 Fluid well suited for skin creams and lotions, cosmetics, sun screen and tanning products. It can be readily emulsified or combined with volatile silicone, mineral oil and cosmetic esters to provide a delivery vehicle for active ingredients such as sun screens.
- 2. Provides a soft silky feel and conditioning from hair care products. It is particularly useful against split ends.

TYPICAL PROPERTIES

Specification Writers: These values are not intended for use in preparing specifications. Please contact IOTA sales representative prior to writing specifications on this product.

Test	Unit	Value
Appearance		transparent to translucent viscous
Non-volatile content	%	13
Viscosity at 25°C (77°F)	mm2.s-1	6000



安徽艾约塔硅油有限公司

IOTA CORPORATION LTD.

安徽省蚌埠市高新区兴中路 985 号 日月科技园

电话: 86-552-3827158

传真: 86-552-3822922

Sunmoon industry park, 985 Xingzhong Road, Bengbu, China 233000

Tel: 86-552-3827158

Fax: 86-552-3822922

Flash point - closed cup	°C (°F)	52 (126)
Specific gravity at 25°C/l6°C		0.960
(77°F/61°F)		
Refractive index at 25°C (77°F)		1.397
Freezing point	°C (°F)	-18 (0)
Cyclotetrasiloxane (D4) content	%	<43

DESCRIPTION

IOTA 1401 Fluid is a 13% solution of an ultra-high viscosity dimethiconol fluid in a blend of cyclotetrasiloxane and

cyclopentasiloxane. These cyclomethicones have been specially blended to prevent freezing and the dimethiconol level selected to maintain a pourable product.

HOW TO USE?

IOTA 1401 Fluid improves the substantivity of other actives, under both water soaking and soap washing regimes. It is therefore possible to incorporate IOTA 1401 Fluid into skin care products to provide a water repellent, durable film. These actives may include sunscreens, emollients and moisturizers.

IOTA 1401 Fluid can also be used to prepare water resistant or waterproof sunscreen lotions with exceptional spreading characteristics.

FORMULATION TIPS

Emulsion products:

- 1. IOTA 1401 Fluid can be incorporated directly into the oil phase of the formulation.
- 2. If temperatures above 60°C (140°F) are being used to melt the oil phase, IOTA-1401 Fluid should be added slowly after the formation of the emulsion, and below 50°C (122°F), using a high shear mixer.

Non-emulsion products:



安徽艾约塔硅油有限公司

IOTA CORPORATION LTD.

Sunmoon industry park, 985 Xingzhong Road, Bengbu, China 233000

Tel: 86-552-3827158

Fax: 86-552-3822922

安徽省蚌埠市高新区兴中路 985 号 日月科技园

电话: 86-552-3827158 传真: 86-552-3822922

It is advisable to add the cosmetic ingredients to the silicone and not vice versa as often ultra-high molecular weight dimethiconol is insoluble with the cosmetic ingredients.

STORAGE

Product should be stored at or below 25°C (77°F) in original, unopened containers. IOTA 1401 Fluid is flammable with a flash point of 52°C (126°F). Keep away from heat, sparks and open flames.

IOTA CORPORATION LTD.

Add: Sunmoon industry park, 985 Xingzhong Road, Bengbu, China 233000

TeL: 0086-552-7183958 Fax: 0086-552-3822922

Mobile/What's app/Wechat: 0086-18055289988

Skype: arielyang1988

QQ: 2302519534

Email: info@personalcaresilicone.com

Website: www.personalcaresilicone.com